



Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EDGETHERM 3500 GRAY HOT MELT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hot-melt adhesives.
Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc.
11320 W. Watertown Plank Road
Wauwatosa, Wisconsin 53226 USA
Phone: +1 (800) 843-0844 (Domestic Toll Free)
Phone: +1 (414) 774-2250 (International)
Fax: +1 (414) 774-8075

Manufacturer

Bostik Limited
Common Rd
ST16 3EH
Stafford UK
Tel: +44 (1785) 27 26 25
Fax: +44 (1785) 25 72 36

E-mail msds@bostik.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332
(Outside U.S.) 1-703-527-3887

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

2.2. Label Elements

EMERGENCY OVERVIEW

Contact with solid material may cause irritation
Contact with molten material will cause thermal burns

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance No information available **Physical State** Solid **Odor** No information available

Precautionary Statements - Prevention

Not applicable

Precautionary Statements - Response

Not applicable

Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

Precautionary Statements - Storage
Not applicable

Precautionary Statements - Disposal
Not applicable

Hazards Not Otherwise Classified (HNOC)
Not applicable

Unknown acute toxicity
23% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances
Not applicable

3.2 Mixtures

Chemical Name	CAS No	Weight-%
Carbonic acid, calcium salt (1:1)	471-34-1	10 - 30
Titanium dioxide	13463-67-7	0.1 - 1

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin Contact Wash skin with soap and water. In case of burns, immediately cool affected skin for as long as possible with cold water. Do not remove clothing if adhering to skin. Removal of solidified molten material from skin requires medical assistance. Consult a physician if necessary.

Inhalation Remove to fresh air.

Ingestion Seek medical advice immediately. Do not induce vomiting without medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 11: TOXICOLOGY INFORMATION

Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

In case of fire: Use CO₂, dry chemical, or foam to extinguish.

Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising from the Chemical

Avoid dusting when handling and avoid all possible sources of ignition (spark or flame). This material can accumulate static charge by flow or agitation and can be ignited by static discharge.

Explosion Data

Sensitivity to Mechanical Impact

None.

Sensitivity to Static Discharge

Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

5.3. Advice for firefighters

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Environmental Precautions

Keep out of drains, sewers, ditches and waterways. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment

Molten . Cover with dry sand/earth.

Methods for cleaning up

Use personal protection equipment. **Solid**: . Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. **Molten** . Where possible allow molten material to solidify naturally. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Reference to other sections

Section 7: HANDLING AND STORAGE
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. After contact with skin, wash immediately with plenty of water and soap. Use adequate ventilation and/or engineering controls in high

Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

temperature processing to prevent exposure to vapors. This material can accumulate static charge by flow or agitation and can be ignited by static discharge. Avoid dusting when handling and avoid all possible sources of ignition (spark or flame).

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store away from incompatible materials.

Incompatible Materials Incompatible with oxidizing agents. Strong acids. Strong bases.

7.3. Specific end use(s)

Other Information Since empty containers retain product residue, follow label warnings even after container is emptied. Keep product and empty container away from heat and sources of ignition.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS
Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Guidelines Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Carbonic acid, calcium salt (1:1) 471-34-1	-	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust	-	-
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	IDLH: 5000 mg/m ³	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ STEL: 20 mg/m ³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Carbonic acid, calcium salt (1:1) 471-34-1	-	-	-	TWA: 10 mg/m ³
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	-	-	TWA: 10 mg/m ³

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Methyl alcohol 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³	TWA: 200 ppm TWA: 260 mg/m ³ STEL: 250 ppm STEL: 310 mg/m ³

Chemical Name	Argentina	Brazil	Chile	Venezuela
Methyl alcohol 67-56-1	TWA: 200 ppm Skin STEL: 250 ppm	TWA: 156 ppm TWA: 200 mg/m ³ Skin	TWA: 175 ppm TWA: 229 mg/m ³ Skin	Skin STEL: 250 ppm TWA: 200 ppm

8.2. Exposure controls

OTHER INFORMATION Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water.

Engineering Controls Showers

Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

Eyewash stations
Ventilation systems.

Personal protective equipment [PPE]

Eye/Face Protection

Molten . Wear protective eye glasses for protection against liquid splashes.

Skin and Body Protection

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Heat resistant gloves are recommended when handling molten materials.

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

General Hygiene Considerations

Facilities for quickly drenching the body should be provided within the immediate work area for emergency use where there is a possibility of exposure.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State	Solid
Color	Gray
Odor	No information available
Odor Threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash Point	No information available	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability or explosive limits	No information available	
Lower flammability or explosive limits	No information available	
Vapor Pressure	No information available	
Vapor Density	No information available	
Relative Density	No information available	

Water Solubility	No information available
Solubility in Other Solvents	
Partition Coefficient	No information available
Autoignition Temperature	No information available
Decomposition Temperature	No information available

Kinematic Viscosity	No information available
Dynamic Viscosity	No information available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
Solvent content (%)	No information available
Solid content (%)	100
Density	No information available

Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

VOC No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Protect from moisture. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released, when the product is exposed to moisture or water.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Do not add water or other volatile material to molten adhesive. Take precautionary measures against static discharges.

10.5. Incompatible materials

Incompatible with oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO₂). Hydrocarbons.

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

Product Information	No data available
Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin Contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carbonic acid, calcium salt (1:1) 471-34-1	LD50 > 2000 mg/kg (Rat) OECD 420	LD50 >2000 mg/kg (Rat) OECD 402	LC50 (4h) >3mg/ml (Rat)
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms	No information available.
Skin Corrosion/Irritation	No information available.
Serious Eye Damage/Eye Irritation	No information available.
Irritation	No information available.
Corrosivity	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
Developmental Toxicity	No information available.
Teratogenicity	No information available.

Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Chronic Toxicity	No information available.
Target Organ Effects	Eyes, Respiratory system, Skin.
Aspiration hazard	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen. As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	-	Group 2B	-	X

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

No information available

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Carbonic acid, calcium salt (1:1) 471-34-1	IC50 72H Algae >1000 mg/l	CL50 96H Fish >1000 mg/l		EC50 48H Daphnia >1000 mg/l

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations

Contaminated Packaging

Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

DOT Not regulated
IATA Not regulated
IMDG Not regulated

Section 15: REGULATORY INFORMATION

Global Inventories

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

Key Literature References and Sources for Data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 28-Jun-2018

Safety Data Sheet

EDGETHERM 3500 GRAY HOT MELT
Revision Number 1

Revision Date 28-Jun-2018
Supersedes Date: 28-Jun-2018

Revision Note	Not applicable.
Training Advice	No information available
Further information	No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet